

# DIABETES MEDICAL MANAGEMENT PLAN

School Year: \_\_\_\_\_

Student's Name: \_\_\_\_\_ Date of Birth: \_\_\_\_\_

Parent/Guardian: \_\_\_\_\_ Phone at Home: \_\_\_\_\_ Work: \_\_\_\_\_ Cell/Pager: \_\_\_\_\_

Parent/Guardian: \_\_\_\_\_ Phone at Home: \_\_\_\_\_ Work: \_\_\_\_\_ Cell/Pager: \_\_\_\_\_

Other emergency contact: \_\_\_\_\_ Phone #: \_\_\_\_\_ Relationship: \_\_\_\_\_

Insurance Carrier: \_\_\_\_\_ Preferred Hospital: \_\_\_\_\_

**BLOOD GLUCOSE (BG) MONITORING:** (Treat BG below \_\_\_\_\_ mg/dl or above \_\_\_\_\_ mg/dl as outlined below.)

- ☐ Before meals ☐ as needed for suspected low/high BG ☐ 2 hours after correction  
☐ Midmorning ☐ Mid-afternoon ☐ Before dismissal

## INSULIN ADMINISTRATION:

**Insulin delivery system:** ☐ Syringe or ☐ Pen or ☐ Pump

**Insulin type:** ☐ Humalog or ☐ Novolog or ☐ Apidra

**MEAL INSULIN:** (Best if given right **before eating**. For small children, can give within 15-30 minutes of the first bite of food-or right after meal)

☐ Insulin to Carbohydrate Ratio:

Breakfast: **1** unit per \_\_\_\_\_ grams carbohydrate

Lunch: **1** unit per \_\_\_\_\_ grams carbohydrate

☐ Fixed Dose per meal:

Breakfast: Give \_\_\_\_\_ units/Eat \_\_\_\_\_ grams of carbohydrate

Lunch: Give \_\_\_\_\_ units/Eat \_\_\_\_\_ grams of carbohydrate

**CORRECTION INSULIN:** (For high blood sugar. Add before **MEAL INSULIN** to **CORRECTION INSULIN** for **TOTAL INSULIN** dose.)

☐ Use the following correction formula  
For pre-meal blood sugar over \_\_\_\_\_

**(BG - \_\_\_\_\_) ÷ \_\_\_\_\_ = extra units insulin to provide**

☐ Sliding Scale:

BG from \_\_\_\_\_ to \_\_\_\_\_ = \_\_\_\_\_ units

BG from \_\_\_\_\_ to \_\_\_\_\_ = \_\_\_\_\_ units

BG from \_\_\_\_\_ to \_\_\_\_\_ = \_\_\_\_\_ units

BG from \_\_\_\_\_ to \_\_\_\_\_ = \_\_\_\_\_ units

> \_\_\_\_\_ = \_\_\_\_\_ units

**SNACK:** ☐ A snack will be provided each day at: \_\_\_\_\_

**Carbohydrate coverage only for snack (No BG check required):**

☐ No coverage for snack

☐ 1 unit per \_\_\_\_\_ grams of carb

☐ Fixed snack dose: Give \_\_\_\_\_ units/Eat \_\_\_\_\_ grams of carb

## PARENTAL AUTHORIZATION to Adjust Insulin Dose:

☐ YES ☐ NO Parents/guardians are authorized to increase or decrease insulin-to-carb ratio within the following range:  
**1** unit per prescribed grams of carbohydrate, +/- \_\_\_\_\_ grams of carbohydrate

☐ YES ☐ NO Parents/guardians are authorized to increase or decrease correction dose with the following range: +/- \_\_\_\_\_ units of insulin

☐ YES ☐ NO Parents/guardians are authorized to increase or decrease fixed insulin dose with the following range: +/- \_\_\_\_\_ units of insulin

## MANAGEMENT OF LOW BLOOD GLUCOSE:

**MILD low sugar: Alert and cooperative student (BG below \_\_\_\_\_)**

- ☒ Never leave student alone
- ☒ Give 15 grams glucose; recheck in 15 minutes
- ☒ If BG remains below 70, retreat and recheck in 15 minutes
- ☒ Notify parent if not resolved
- ☐ If no meal is scheduled in the next hour, provide an additional snack with carbohydrate, fat, protein.

**SEVERE low sugar: Loss of consciousness or seizure**

- ☒ Call 911. Open airway. Turn to side.
- ☒ Glucagon injection IM/SubQ ☐ \_\_\_\_\_ ☒ 0.50mg
- ☒ Notify parent.
- ☒ For students using insulin pump, stop pump by placing in "suspend" or stop mode, disconnecting at pigtail or clip, and/or removing an attached pump. If pump was removed, send with EMS to hospital.

## MANAGEMENT OF HIGH BLOOD GLUCOSE: (above \_\_\_\_\_ mg/dl)

- ☐ Sugar-free fluids/frequent bathroom privileges.
- ☐ If BG is greater than 300 and it's been 2 hours since last dose, give ☐ **HALF** ☐ **FULL** correction formula noted above.
- ☐ If BG is greater than 300 and it's been 4 hours since last dose, give **FULL** correction formula noted above.
- ☐ If BG is greater than \_\_\_\_\_, check for ketones. Notify parent if ketones are present.
- ☐ Child should be allowed to stay in school unless vomiting with moderate or large ketones present.

## MANAGEMENT DURING PHYSICAL ACTIVITY:

Student shall have easy access to fast-acting carbohydrates, snacks, and blood glucose monitoring equipment during activities. Child should NOT exercise if blood glucose levels are below \_\_\_\_\_ mg/dl or above 300 mg/dl and urine contains moderate or large ketones.

- ☐ Check blood sugar right before physical education to determine need for additional snack.
- ☐ If BG is less than \_\_\_\_\_ mg/dl, eat 15-45 grams carbohydrate before, depending on intensity and length of exercise.
- ☐ Student may disconnect insulin pump for 1 hour or decrease basal rate by \_\_\_\_\_.
- ☐ For new activities: Check blood sugar before and after exercise only until a pattern for management is established.
- ☐ A snack is required prior to participation in physical education.

SIGNATURE of AUTHORIZED PRESCRIBER (MD, NP, PA): \_\_\_\_\_ Date: \_\_\_\_\_ page 1 of 2

Student's Name: \_\_\_\_\_ Date of Birth: \_\_\_\_\_

**NOTIFY PARENT of the following conditions: (If unable to reach parent, call diabetes provider office.)**

- a. Loss of consciousness or seizure (convulsion) immediately after calling 911 and administering glucagon.
- b. Blood sugars in excess of 300 mg/dl, when ketones present.
- c. Abdominal pain, nausea/vomiting, fever, diarrhea, altered breathing, altered level of consciousness.

**SPECIAL MANAGEMENT OF INSULIN PUMP:**

- ☐ Contact Parent in event of:
  - Pump alarms or malfunctions
  - Detachment of dressing / infusion set out of place
  - Leakage of insulin
  - Student must give insulin injection
  - Student has to change site
  - Soreness or redness at site
  - Corrective measures do not return blood glucose to target range within \_\_\_\_\_ hrs.
- ☐ Parents will provide extra supplies including infusion sets, reservoirs, batteries, pump insulin, and syringes.

**This student requires assistance by the School Nurse or Trained Diabetes Personnel with the following aspects of diabetes management:**

- ☐ Monitor and record blood glucose levels
- ☐ Respond to elevated or low blood glucose levels
- ☐ Administer glucagon when required
- ☐ Calculate and give insulin Injections
- ☐ Administer oral medication
- ☐ Monitor blood or urine ketones
- ☐ Follow instructions regarding meals and snacks
- ☐ Follow instructions as related to physical activity
- ☐ Respond to CGM alarms by checking blood glucose with glucose meter. Treat using Management plan on page 1.
- ☐ Insulin pump management: administer insulin, inspect infusion site, contact parent for problems
- ☐ Provide other specified assistance: \_\_\_\_\_

**This student may independently perform the following aspects of diabetes management:**

Monitor blood glucose:

- ☐ in the classroom
- ☐ in the designated clinic office
- ☐ in any area of school and at any school related event
- ☐ Monitor urine or blood ketones
- ☐ Calculate and give own injections
- ☐ Calculate and give own injections with supervision
- ☐ Treat hypoglycemia (low blood sugar)
- ☐ Treat hyperglycemia (elevated blood sugar)
- ☐ Carry supplies for blood glucose monitoring
- ☐ Carry supplies for insulin administration
- ☐ Determine own snack/meal content
- ☐ Manage insulin pump
- ☐ Replace insulin pump infusion set
- ☐ Manage CGM

**LOCATION OF SUPPLIES/EQUIPMENT:** (Parent will provide and restock all supplies, snacks and low blood sugar treatment supplies.)

This section will be completed by school personnel and parent:

|                                 | Clinic room              | With student             |                                 | Clinic room              | With student             |
|---------------------------------|--------------------------|--------------------------|---------------------------------|--------------------------|--------------------------|
| Blood glucose equipment         | <input type="checkbox"/> | <input type="checkbox"/> | Glucagon kit                    | <input type="checkbox"/> | <input type="checkbox"/> |
| Insulin administration supplies | <input type="checkbox"/> | <input type="checkbox"/> | Glucose gel                     | <input type="checkbox"/> | <input type="checkbox"/> |
| Ketone supplies                 | <input type="checkbox"/> | <input type="checkbox"/> | Juice /low blood glucose snacks | <input type="checkbox"/> | <input type="checkbox"/> |

*My signature provides authorization for the above Diabetes Mellitus Medical Management Plan.*

*I understand that all procedures must be implemented within state laws and regulations. This authorization is valid for one year.*

**SIGNATURE of AUTHORIZED PRESCRIBER:** \_\_\_\_\_ **DATE:** \_\_\_\_\_

Authorized Prescriber: MD, NP, PA

**Name of Authorized Prescriber:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**Phone:** \_\_\_\_\_

**SIGNATURES**

I, (Parent/Guardian) \_\_\_\_\_ understand that all treatments and procedures may be performed by the student and/or Trained Diabetes Personnel within the school, or by EMS in the event of loss of consciousness or seizure. I also understand that the school is not responsible for damage, loss of equipment, or expenses utilized in these treatments and procedures. I give permission for school personnel to contact my child's diabetes provider for guidance and recommendations. I have reviewed this information form and agree with the indicated information. This document serves as the Diabetes Medical Management Plan as specified by Georgia state law.

**PARENT/GUARDIAN SIGNATURE:** \_\_\_\_\_ **DATE:** \_\_\_\_\_

**SCHOOL NURSE SIGNATURE:** \_\_\_\_\_ **DATE:** \_\_\_\_\_