C.T. Walker Magnet School 7th Grade



- This packet is designed to help you retain the information you learned in 6th grade.
- The packet will be due the first week of school.
- This packet contains:
 - ELA Summer Homework and Reading Requirements
 - Math Summer Homework & Practice



ELA Reading Requirements and Assignments

Required Reading:

Virals by Kathy Reichs
Kalahari by Jessica Khoury

Instructions:

Please choose <u>ONE</u> activity for each book for #1 below; and complete ALL bullet points for numbers II and III.

- I. Choose **ONE** activity from the following:
 - A. Draw your favorite scene from the novel and explain why it is your favorite in a paragraph containing at least five to seven sentences.
 - B. Write a letter to one of the characters. (proper or friendly letter format)
 - C. Compose a poem that could be printed out on the back cover of the novel.
 - D. Explain how posters persuade people to buy things, and then design a poster for this book.
- II. Use examples from <u>EACH</u> book to support your answers; answer <u>EACH</u> of the following for <u>BOTH</u> books:
 - A. Identify and explain the main problem or conflict in the book.
 - B. Identify and explain the rising action.
 - C. Identify and explain the climax
 - D. Identify and explain the resolution.

III. Of the two books you read for your summer reading assignment, which one would you recommend to other middle school students? Explain why. Your response must be written in a paragraph with at least five supporting sentences.

Name:	Date:

Date: _____

CHAPTER



Positive Numbers and the Number Line

Lesson 1.1 The Number Line

Complete the number patterns.


1. _____, 29, 30, _____, 32, _____, 34, 35


2. 2, 4, _____, 8, 10, _____, 14, _____


3. ______, 15, 18, ______, 24, 27, 30

4. 8, 12, 16, 20, _____, 28, _____, 36


Complete the number lines.










Complete the number lines.










Name: _____

Fractions Number Line

Write the correct letter on the blank line next to each fraction.



$$\frac{1}{2}$$
 d

Compare the fractions using <, >, and =.

$$\frac{3}{8}$$
 (>) $\frac{1}{4}$

$$\frac{4}{8}$$
 \bigcirc $\frac{1}{2}$

$$\frac{5}{8}$$
 \bigcirc $\frac{3}{4}$

$$\frac{1}{2}$$
 \bigcirc $\frac{3}{4}$

$$\frac{7}{8}$$
 $\bigcirc \frac{1}{4}$

$$\frac{1}{4}$$
 $\frac{2}{8}$

$$\frac{1}{4}$$
 $\frac{7}{8}$

$$\frac{8}{8}$$
 1

$$\frac{1}{2}$$
 $\frac{6}{8}$

Mrs. Browning asked her class to help with safety patrol. $\frac{4}{8}$ of the class went with her to help younger students onto the buses. Mr. Tobias took $\frac{1}{2}$ of the class to help students at the crosswalk. Compare the fractions of the class that went with each teacher using <, >, or =.

Mrs. Browning
$$\frac{4}{8}$$
 $\frac{1}{2}$ Mr. Tobias

Name:	

Multiples

A <u>multiple</u> is the product of a given whole number and another whole number.

$$1 \times 6 = 6$$

$$2 \times 6 = 12$$

$$3 \times 6 = 18$$

$$4 \times 6 = 24$$

$$5 \times 6 = 30$$

$$6 \times 6 = 36$$

$$6 \times 7 = 42$$

$$6 \times 8 = 48$$

$$6 \times 9 = 54$$

and so on...

What are the first 6 multiples of 6? 6, 12, 18, 24, 30, and 36



- 1. What are the first 4 multiples of 9? _____, ____, and __
- 2. Circle the numbers that are multiples of 7. Cross out the numbers that are not multiples of 7.

3. Circle the numbers that are multiples of 8. Cross out the numbers that are not multiples of 8.

4. Are multiples of 4 always even? Explain.

5. Are multiples of 3 always odd? Explain.

Name:

Squares and Square Roots

Cut out the squares and square roots at the bottom of the page. Glue them into the box next to their equivalent number.

5	
7	
36	
8	
3	

81	
25	
9	
4	,
11	

10	
64	
6	
49	
12	

	 9 ²	√4	.9	6	2	√ī	6	√ 6	4	5	2	√8	1	√ <u>1</u> (00
L	\[\sigma_1	44		7	√2	5	8	2	√3	6	√ī	21	7	72	,,,i

Lesson 3.2 Multiplying Decimals


Multiply.

 0.3×5

Method 1

 $0.3 \times 5 = 5 \times 0.3$

 5×0.3 means ____5 __ groups of ____0.3




$$5 \times \underline{0.3} = 5 \times \underline{3}$$
 tenths

From the number line, you can see that 5×0.3 = 0.3 + 0.3 + 0.3 + 0.3 + 0.3

Method 2

Step 1: Ignore the decimal point as you multiply.
Step 2: Decide where to place the decimal point in the product.








1. 0.4×6

Method 1

$$0.4 \times 6 = 6 \times 0.4$$

6 × 0.4 means _____ groups of _____



6 × _____ = 6 × _____ tenths

= _____ tenths

=____

Method 2

2. 0.7×5

3. 8 × 0.3

Name: _____

Reciprocals

Find the reciprocals of the fractions and mixed numbers and write them in the space provided.

1.
$$2\frac{5}{12}$$

3.
$$\frac{17}{41}$$

4.
$$3\frac{4}{13}$$

7.
$$\frac{7}{55}$$

12.
$$\frac{42}{93}$$

15.
$$4\frac{5}{6}$$

18.
$$\frac{17}{32}$$

20.
$$4\frac{7}{20}$$

24. 9
$$\frac{3}{4}$$

27.
$$2\frac{15}{24}$$

28. 5
$$\frac{7}{15}$$

Name:

Multiplying Fractions

Step 1: Multiply the numerators.

$$\frac{3}{5} \times \frac{2}{3} = \frac{6}{3}$$

Step 2: Multiply the denominators. $\frac{3}{5} \times \frac{2}{3} = \frac{6}{15}$

$$\frac{3}{5} \times \frac{2}{3} = \frac{6}{15}$$

Step 3: Simplify your answer if possible. $\frac{3}{5} \times \frac{2}{3} = \frac{6}{15} = \frac{2}{5}$

a.
$$\frac{7}{8} \times \frac{4}{9}$$

b.
$$\frac{4}{5} \times \frac{1}{4}$$

c.
$$\frac{2}{9} \times \frac{1}{7}$$

d.
$$5 \times \frac{7}{8}$$

e.
$$\frac{2}{3} \times \frac{5}{8}$$

f.
$$\frac{3}{4} \times 8$$

g.
$$\frac{2}{3} \times 9$$

h.
$$\frac{3}{7} \times \frac{5}{9}$$

i.
$$\frac{9}{10} \times \frac{5}{18}$$

j.
$$\frac{2}{3} \times \frac{6}{7} \times \frac{3}{5}$$

k.
$$7 \times \frac{2}{3} \times \frac{3}{4}$$

Name:

Improper Fractions & Mixed Numbers

Write each mixed number as an improper fraction

a.
$$2 \frac{1}{4} =$$

b.
$$8 \frac{3}{8} =$$

c.
$$2\frac{5}{6}$$
 = **d.** $4\frac{1}{2}$ =

d.
$$4\frac{1}{2} =$$

e. 5
$$\frac{1}{3}$$
 =

f. 10
$$\frac{7}{12}$$
 =

g.
$$9 \frac{1}{4} =$$
 h. $6 \frac{5}{6} =$

h. 6
$$\frac{5}{6}$$
 =

i.
$$7 \frac{5}{6} =$$

j. 10
$$\frac{3}{7}$$
 =

k. 11
$$\frac{1}{3}$$
 = **l.** 20 $\frac{1}{2}$ =

1. 20
$$\frac{1}{2}$$
 =

Write each improper fraction as a mixed number.

m.
$$\frac{7}{5} =$$

n.
$$\frac{9}{4} =$$

o.
$$\frac{5}{3} =$$

p.
$$\frac{22}{9} =$$

q.
$$\frac{13}{7}$$
 =

r.
$$\frac{9}{2} =$$

s.
$$\frac{17}{9}$$
 =

$$t. \frac{7}{3} =$$

$$u. \frac{17}{7} =$$

v.
$$\frac{10}{3}$$
 =



Mrs. Jones bakes pies. She always cuts each pie into 8 slices. There are 13 slices left on the counter. Write the number of pies on the counter as a mixed number and as an improper fraction.

CHAPTER



Ratio

Lesson 4.1 Comparing Two Quantities

Complete.

Example



7 : 5 and 5 : 7 are called **ratios** 5 and 7 are the **terms** of these ratios.



The ratio of the number of apples to the number of pears is $\frac{7}{2}$: $\frac{5}{2}$

The ratio of the number of pears to the number of apples is 5:7


1.



The ratio of the number of saucers to the number of cups is _____:

The ratio of the number of cups to the number of saucers is _____: ____:

2.



The ratio of the number of pencils to the number of erasers is _____:____:


The ratio of the number of erasers to the number of pencils is ______: _____.

State whether each of the following can be expressed as a ratio.

- Example ---

2 yd and 4 g <u>No</u>

9 inches and 3 feet are measurements of length. 9 inches and 3 feet can be expressed in the same unit. So, 9 inches and 3 feet can be expressed as a ratio. 2 yards is a measurement of length. 4 grams is a measurement of mass. 2 yards and 4 grams cannot be expressed in the same unit. So, 2 yards and 4 grams cannot be expressed as a ratio.



3. 12 cm and 3 m _____

4. 1 mL and 2 kg _____

5. 7 in.² and 1 lb _____

6. 3 h and 11 min _____

Complete.

– Example –

5 m: 19 cm = 500 cm: 19 cm

= 500 : 19

Think:

1 m = 100 cm

5 m = 500 cm

$$1 L = 1,000 mL$$

$$1.2 L = _{mL}$$

Think:

$$1 \text{ lb} = 16 \text{ oz}$$

Equivalent Ratio Sheet 1

A) Write any two equivalent ratios for each ratio.

1) 1:2

2) 4:9

3) 5:3

4) 7:10

5) 8:11

6) 12:13

7) 9:20

8) 17:5

- B) Complete the equivalent ratio table.
- 1) 7 21 35 3 27
- 2) 5 25 35 18
- 3) 10 50 70 20 13
- 4) 22 11 2 8 16

CHAPTER



Rates

Lesson 5.1 Rates and Unit Rates

Find each product. Express the product in simplest form if necessary.

3.
$$63 \times \frac{4}{9}$$

4.
$$\frac{8}{15} \times 75$$

5.
$$4\frac{7}{8} \times 28$$

6.
$$56 \times 2\frac{5}{27}$$

7.
$$\frac{5}{6} \times \frac{42}{65}$$

8.
$$\frac{15}{47} \times \frac{63}{90}$$

Find each quotient. Express the quotient in simplest form.

9.
$$\frac{8}{9} \div 12$$

10.
$$36 \div \frac{6}{11}$$


11.
$$\frac{5}{7} \div \frac{15}{98}$$

12.
$$\frac{65}{114} \div \frac{26}{51}$$

Solve.

Example

Jim walks 900 meters in 5 minutes. At what rate does he walk?



$$\underline{1} \quad \min \rightarrow \underline{900} \div \underline{5} = \underline{180} \quad m$$

Jim walks at a rate of _____ meters per minute.

22. A plumber earns \$180 for 4 hours of work. How much does the plumber earn per hour?

_____h → \$_____

h	\$	÷	 =	\$
 h –	> \$	÷	 =	\$

\$180

The plumber earns \$_____ per hour.

23. A photocopy machine can print 240 copies in 30 minutes. What is the rate at which the machine prints the copies per minute?

24. A dancer kicks 35 times during a 5-minute dance routine. What is the rate at which the dancer kicks per minute?

Chapter 5 Review

a) Circle the statement that is expressed as a unit rate.

a) Joann walks her dog ¾ mile in 7/10 hour. What is her speed in miles per hour?

Rob pays \$2 for a bottle of gatorade. Bill eats 6 cups of cereal in 6 days.

b) Write this statement as a unit rate:

A machine can make 120 potato chips in 5 minutes

b) Alicia makes \$117.80 in one week. She worked 15.2 hours that week. What is her hourly rate?





Jill rented roller skates at Marple Sports Arena from 11:00am to 4:00pm. How much did she pay?

First hour - \$12 Each additional ½ hour -\$5.50 A plane is traveling at a constant speed. In 8 hours the plane travels 3,400 miles. How many hours will it take to travel 1,275 miles?





Which meat cost the most per pound?

Turkey - 5 lb for \$42.50

Ham - 3 lb for \$21.75

Roast Beef - 4 lb for \$35

Constance ran around a 400 meter track 4 times. The first two times took her 5 minutes and the last two took her 7 minutes. Find her average speed.





· .	
.•	
N	•
Name:	
· Karana	

Date:				
-------	--	--	--	--



Practice 1 Percent

Each large square is divided into 100 parts. Fill in the blanks to describe each large square.

1.

Section 3				 		
			ا <u>نمنی</u> ا			
	英羽 旋					
		44				
				÷	1	


_____ out of 100 equal parts are shaded.

_____% of the large square is shaded.

____ out of 100 equal parts are not shaded.

______% of the large square is not shaded.

2



out of 100 equal parts are shaded.

_____% of the large square is shaded.

____ out of 100 equal parts are not shaded.

_____% of the large square is not shaded.

Express each fraction as a percent.

$$\frac{38}{100} = \frac{38}{9}$$

3.
$$\frac{92}{100} = ---\%$$

4.
$$\frac{7}{100} =$$
 %

5.
$$\frac{19}{100} =$$
____%

6.
$$\frac{6}{10} =$$
_____%

7.
$$\frac{4}{10} =$$
____%

Express each decimal as a percent.

8.
$$0.28 = \frac{100}{100}$$

$$= ----\%$$

Express each percent as a fraction with a denominator of 100.

$$Example = 53$$

$$53\% = 100$$

15.
$$7\% = \frac{100}{100}$$

Homework Problems



Name ____

Team Name	Team Complete?	Team Did Not Agree On Questions…
		#'s

Quick Look

Vocabulary words introduced in this cycle:

variable, constant, coefficient, term, algebraic expression

Today we identified terms associated with algebraic expressions:

Constant - A constant is a quantity that always stays the same.


Variable - A variable is an unknown value or a value that can change.

Coefficient - A coefficient is a number multiplied by a variable.


Term- A term is a single constant, variable, or variable with a coefficient.

Algebraic Expression– An *algebraic expression* is a collection of terms connected by operations that includes one or more variables.

Here's an example.



We can also represent the expression, x + 7, with algebra tiles:



Directions for questions 1-6: Identify the variables, constants, number of terms, and coefficients.

1)
$$11w + 0.9 + 20\frac{1}{2}$$

a. variable(s)

b. constant(s)

c. number of terms _____

d. coefficient(s)

2) 103y

a. variable(s)

b. constant(s)

c. number of terms _____

d. coefficient(s)

3) 3 + 3m + 4.5 + r

a. variable(s)

b. constant(s)

c. number of terms

d. coefficient(s)

4) $5p + 3p + 8^2$

a. variable(s)

b. constant(s)

c. number of terms _____

d. coefficient(s)

5) x + 24

a. variable(s)

b. constant(s)

c. number of terms _____

d. coefficient(s)

6) $7^2 + 4k$

a. variable(s)

b. constant(s)

c. number of terms _____

d. coefficient(s)

Directions for questions 7 and 8: Write an algebraic expression that represents the given algebra tiles.

7)

		0.85				. :
	(A)			(V. 18)		
Ser de la Consti		No.	100 A.S.	1575965		

8)



Directions for questions 9 and 10: Sketch algebra tiles to represent the algebraic expression.

9) 4u + 2

10) b + 10

Mixed Practice				
11) Assign a variable to an unknown quantity in the situation.	12) Convert 3.5% to a decimal.			
Henry slept for 45 minutes longer on Saturday night than he did on Thursday night.				
13) What is 17% of 200?	14) Evaluate.			
	3 • (45 – 20 ÷ 4)			
Word Problem				
15) Sue added <i>y</i> and 3. How many terms are in her What is the coefficient in her expression? Expla	r expression? What is the constant in her expression? ain your thinking.			

For the Guide on the Side

Today your student identified vocabulary associated with algebraic expressions. Algebraic expressions are expressions that include one or more variables. A variable is an unknown value or value that can change. It is often written as a lower case letter such as x or y.

Your student also learned that a constant is a quantity that always stays the same. In z + 34, 34 is the constant and z is the variable. A coefficient is a number multiplied by a variable. In 5a, 5 is the coefficient because $5a = 5 \cdot a$. Finally, a term is a single constant, variable, or variable with a coefficient. For example, in 35 + 7b, there are two terms: 35 and 7b.

Your student should be able to answer the following questions about algebraic expressions and vocabulary:

- 1) Explain what the coefficient of n is in the expression n + 3.
- 2) How many terms are in this expression? How do you know?
- 3) Is this expression a numeric or algebraic expression? How do you know?
- 4) Why do you think it is important to know these vocabulary words?

Here are some ideas to work with algebraic expressions and vocabulary:

- 1) Play 21 questions! Have someone write an algebraic expression for your student. Your student does not see the expression and asks questions (they do not need to be yes or no questions) to try to guess the expression (e.g. How many terms? Is the constant greater than 5?) You may want to set guidelines for the expressions (e.g. all numbers in the expression are less than 10) so that it is not too difficult to guess.
- 2) Represent expressions with household items! Write an algebraic expression for your student. Have your student represent the expression with household items (perhaps pencils could represent variables and erasers could represent units).

Name: _____

Date: _____

Solve each equation using the concept of balancing. Write your answer in simplest form.

- Example :

$$x + \frac{1}{6} = \frac{5}{6}$$

$$x + \frac{1}{6} = \frac{5}{6}$$

$$x + \frac{1}{6} - \frac{\frac{1}{6}}{\frac{1}{6}} = \frac{5}{6} - \frac{\frac{1}{6}}{\frac{1}{6}}$$

$$x = \frac{\frac{4}{6}}{}$$

$$=\frac{2}{3}$$

Subtract $\frac{1}{6}$ from both sides of the equation and the two sides will remain equal. Then simplify.



 $x = \frac{\frac{2}{3}}{3}$ is the solution of the equation $x + \frac{1}{6} = \frac{5}{6}$.

45. $x + \frac{3}{8} = \frac{7}{8}$

$$x + \frac{3}{8} = \frac{7}{8}$$

$$x + \frac{3}{8} - \underline{\hspace{1cm}} = \frac{7}{8} - \underline{\hspace{1cm}}$$

x =_____ is the solution of the equation $x + \frac{3}{8} = \frac{7}{8}$.

46. $e + \frac{2}{10} = \frac{7}{10}$

$$e + \frac{2}{10} = \frac{7}{10}$$

$$e + \frac{2}{10} = \frac{7}{10}$$

$$e = \underline{\qquad}$$

e = ____

e =_____ is the solution of the equation $e + \frac{2}{10} = \frac{7}{10}$.

47.
$$k + \frac{4}{9} = \frac{7}{9}$$

48.
$$\frac{11}{12} = p + \frac{2}{12}$$

Solve each equation using the concept of balancing. Write your answer in simplest form.

- Example

$$x - \frac{2}{9} = \frac{1}{9}$$

$$x - \frac{2}{9} = \frac{1}{9}$$

$$x - \frac{2}{9} + \frac{2}{9} = \frac{1}{9} + \frac{2}{9}$$

 $x = \frac{\frac{5}{9}}{}$

 $= \frac{\frac{1}{3}}{3}$

Add $\frac{2}{9}$ to both sides of the equation and the two sides will remain equal. Then simplify.



 $x = \frac{\frac{1}{3}}{\frac{2}{9}}$ is the solution of the equation $x - \frac{2}{9} = \frac{1}{9}$.

49.
$$g - \frac{1}{6} = \frac{1}{6}$$

$$g - \frac{1}{6} = \frac{1}{6}$$

$$g - \frac{1}{6} + \frac{1}{6} + \frac{1}{6} + \frac{1}{6}$$

=____

g =_____ is the solution of the equation $g - \frac{1}{6} = \frac{1}{6}$.

50.
$$d - \frac{7}{15} = \frac{2}{15}$$

= .

d =_____ is the solution of the equation $d - \frac{7}{15} = \frac{2}{15}$.

51.
$$w - \frac{1}{8} = \frac{5}{8}$$

52.
$$\frac{7}{10} = n - \frac{1}{10}$$

Solve each equation using the concept of balancing. Write your answer in simplest form.

– Example -

$$5x = \frac{2}{5}$$

$$5x = \frac{2}{5}$$

$$5x \div \underline{\qquad 5} = \frac{2}{5} \div \underline{\qquad 5}$$

$$x = \frac{2}{5} \cdot \frac{1}{5}$$

$$= \frac{2}{25}$$

Divide both sides of the equation by 5 and the two sides will remain equal. Then simplify.



 $x = \frac{2}{25}$ is the solution of the equation $5x = \frac{2}{5}$.

53.
$$7x = \frac{4}{7}$$

$$7x = \frac{4}{7}$$

$$7x \div \underline{\hspace{1cm}} = \frac{4}{7} \div \underline{\hspace{1cm}}$$

$$x = \frac{4}{7} \cdot \underline{\hspace{1cm}}$$

x =_____ is the solution of the equation $7x = \frac{4}{7}$.

54. $9m = \frac{5}{6}$

$$9m = \frac{5}{6}$$

$$9m = \frac{5}{6}$$

$$m = \frac{5}{6}$$

$$= \underline{\qquad}$$

m =_____ is the solution of the equation $9m = \frac{5}{6}$.

55.
$$3b = \frac{2}{7}$$

56.
$$4s = \frac{8}{9}$$

57.
$$\frac{3}{4} = 9y$$

58.
$$\frac{4}{5} = 6x$$

59.
$$8v = \frac{6}{7}$$

60.
$$\frac{10}{11} = 5w$$

Lesson 8.3 Solving Simple Inequalities

Complete with =, >, or <.

2. 87 () 78

3. 35 · 6 6 · 35

4. 60 ÷ 20 20 ÷ 60

6. -12 9

Use substitution to determine four solutions of each inequality.

Then represent the solutions of each inequality on a number line.

Example

When y = 8, y > 7 is true.

When y = 9, y > 7 is true.


When y = 15, y > 7 is true.

When y = 98, y > 7 is true.

To find possible solutions of the inequality y > 7, you need to find the values of y that make y > 7 true.



The solutions can be represented on a number line as shown:



The empty circle at the end of the arrow above the number line indicates that 7 is NOT a solution of the inequality y > 7.



Name: _____

Date: ____

7. g > 13

When $g = \underline{\hspace{1cm}}$, g > 13 is true.

When $g = ____, g > 13$ is true.

When $g = ____, g > 13$ is true.

When $g = \underline{\qquad}$, g > 13 is true.

The inequality g > 13 is true for any value of g that is _______13.

The solutions can be represented on a number line as shown:



8. m < 28

When $m = \underline{\hspace{1cm}}$, m < 28 is true.

When $m = \underline{\hspace{1cm}}, m < 28$ is true.

When $m = \underline{\hspace{1cm}}$, m < 28 is true.

When $m = \underline{\hspace{1cm}}, m < 28$ is true.

The inequality m < 28 is true for any value of m that is _______28.

The solutions can be represented on a number line as shown:



28

Name:

Date: _____

9. p < 45

10. s > 28

11. *a* > −57

12. *g* < −93

13. *f* > −86

14. *m* < -105


Name: _____

Coordinate Grid

Give the coordinates for the following points.









Tell which quadrant each of the following points is located in: I, II, III, or IV.


Plot and label the following points.




- **8.** Square EFHG is plotted on a coordinate plane. The coordinates of point E are (-2, 1) and the coordinates of point F are (2, 1). Find the coordinates of points G and H given these conditions:
 - a) Points G and H are above points E and F.
 - b) Points G and H are below points E and F.



- 9. Triangle ABC is plotted on a coordinate plane. The coordinates of point A are (-2, 2), the coordinates of point B are (6, 2), and the coordinates of point C are (6, 5).
 - a) What type of triangle is triangle ABC?
 - b) Figure ABCD is a rectangle. Plot point D on the coordinate plane and give its coordinates.



In the diagram, figure *PQRSTU* represents a field. The side length of each grid square is 5 feet. Use the diagram to answer questions 10 to 13.




10. Give the coordinates of points P, Q, R, S, T, and U.

11. James and Rita build a picket fence around the field. They leave a 5-foot opening for the gate. What is the total length of the fence?

12. The gate, \overline{VW} , lies on \overline{RS} and is 10 feet from point S. Give the coordinates of points V and W.

13. Find the area of the field.

In the diagram, figure ABC represents a playground. The side length of each grid square is 4 yards. Use the diagram to answer questions 14 to 17.



14. Give the coordinates of points A, B, and C.

15. There is a square sandbox *DEFG* in the playground. Point *D* is 20 yards from point *A*. \overline{DE} is 8 yards in length. \overline{EF} is also 8 yards in length and is parallel to \overline{AC} . Plot and label points *D*, *E*, *F*, and *G* on the coordinate plane.

16. If BC is approximately 49 yards, what is the perimeter of the playground?

17. Tonya starts at point E and rides her scooter to point A then to point C. She continues around the perimeter of the playground toward point B. If she travels at 5 yards per second, how many seconds will it take her to get to point B?

Find the area of each trapezoid.


- Example —

In the figure, RSTU is a trapezoid. \overline{RU} is parallel to \overline{ST} . RV is the height of the trapezoid. Find the area of RSTU.

Height =
$$RV = 12$$
 m

Sum of bases =
$$RU + ST$$

= $12 + 36$
= $48 - m$




Area of trapezoid RSTU =
$$\frac{1}{2}h(b_1 + b_2)$$

= $\frac{1}{2} \cdot \frac{12}{2} \cdot \frac{48}{2}$
= $\frac{288}{2}$ m²

The area of trapezoid RSTU is 288 square meters.

7. In the figure, DEFG is a trapezoid. \overline{DG} is parallel to \overline{EF} . GH is the height of the trapezoid. Find the area of DEFG.



Area of trapezoid DEFG =
$$\frac{1}{2}h(b_1 + b_2)$$

= $\frac{1}{2} \cdot \frac{1}{2}$


The area of trapezoid DEFG is _____ square inches.

4. In the figure, HJKL is a trapezoid. \overline{HL} is parallel to \overline{JK} . LM is the height of the trapezoid. Find the area of HJKL.

Height = _____ in.


Sum of bases = _____ + _____

= _____ in.




The area of trapezoid HJKL is _____ square inches.

5.




6.



Solve. Show your work.

Example

The area of trapezoid JKLM is 1,000 square inches. \overline{JM} is parallel to \overline{KL} .



a) Find the height of trapezoid JKLM.

Area of trapezoid JKLM =
$$\frac{1}{2}h(b_1 + b_2)$$

$$\frac{1,000}{1,000} = \frac{1}{2} \cdot h \cdot (32 + 48)$$

$$\frac{1,000}{1,000} = \frac{1}{2} \cdot h \cdot 80$$

$$\frac{1,000}{1,000} = \frac{1}{2} \cdot 80 \cdot h$$

$$\frac{1,000}{1,000} = 40 \cdot h$$

$$\frac{1,000}{1,000} \div 40 = 40 \cdot h \div 40$$

$$\frac{25}{1,000} = h$$

The height of trapezoid JKLM is ____25__ inches.

b) Find the area of triangle JLM.


Height of triangle JLM = NL = 25 in.

Area of triangle
$$JLM = \frac{1}{2}bh$$


$$= \frac{1}{2} \cdot \underline{32} \cdot \underline{25}$$

$$= \underline{400} \text{ in.}^2$$

The area of triangle JLM is __400_ square inches.



11. The area of trapezoid CDEF is 832 square feet. \overline{CD} is parallel to \overline{FE} .



a) Find the height of trapezoid CDEF.

Area of trapezoid
$$CDEF = \frac{1}{2}h(b_1 + b_2)$$

$$= \frac{1}{2} \cdot h \cdot (+)$$

$$= \frac{1}{2} \cdot h \cdot -$$

$$= \frac{1}{2} \cdot h$$

The height of trapezoid CDEF is ______ feet.

b) Find the area of triangle FDE.

Area of triangle
$$FDE = \frac{1}{2}bh$$

$$= \frac{1}{2} \cdot \frac{1}{2}$$

The area of triangle FDE is ______ square feet.

Area of a Triangle Questions

1. Jenny says the formula for finding the area of a triangle is $A = \frac{1}{2} \times b \times h$.

Chris says the formula for finding the area of a triangle is $A = \frac{b x h}{2}$.


Who is correct?

Explain your answer.

2. Look at the triangle shown on the right.
The height is represented by the dotted line.

Which side of the triangle is the base? _____

Explain how you can tell which side is the base.



3. The height of a right triangle is exactly 4 cm.

The area of the triangle is 12 cm^2 .

The base of the triangle should be _____cm.

4. In the box below, draw a rectangle that is 10 cm long and 4 cm high. Use a ruler and make sure your drawing is to scale.

What is the area of the rectangle?


Now draw a diagonal line to divide the rectangle into two triangles. What is the area of each triangle?

Basic Algebra

Determine the value of the variable in each equation.

1.
$$6 + \alpha = 12$$

2.
$$7 - b = 2$$



3.
$$11 + 14 = C$$

4.
$$\frac{24}{d} = 3$$

6.
$$\frac{f}{7} = 7$$

7.
$$13g = 26$$

8.
$$35 - h = 10$$

9.
$$6+i=23$$

10.
$$j - 17 = 7$$

11.
$$\frac{42}{7} = k$$

12.
$$4m = 32$$

13.
$$\frac{72}{n} = 9$$

15.
$$\frac{q}{8} = 5$$


$$\frac{3}{8} = 5$$

$$\star$$
 11 + 4 = 3s

Lesson 12.3 Volume of Prisms

Find the volume of each rectangular prism.

1.




Volume



= _____ in.³

2.



Volume

= _____ cm³

- Example -

A rectangular prism measures $5\frac{1}{2}$ inches by 4.2 inches by $3\frac{3}{4}$ inches. Find the volume of the prism.

Length =
$$\frac{5\frac{1}{2}}{2}$$
 in.


Width =
$$4.2$$
 in.

Height =
$$\frac{3\frac{3}{4}}{1}$$
 in.


Volume = ℓwh

$$= \frac{5\frac{1}{2}}{86\frac{5}} \times 4.2 \times 3\frac{3}{4}$$

length ℓ , width w_i and height h is given by V = ℓwh



Surface Area of a Triangular Prism



area of front triangle =
$$\frac{1}{2}$$
 ($b \times b$)

area of **back triangle** =
$$\frac{1}{2}$$
 ($b \times b$)

area of front triangle + back trangle = $b \times b$

area of **right side** = $right l \times w$


area of **left side** =
$$left l \times w$$

area of **bottom** = $b \times w$

Surface Area =
$$(b \times b) + (right \ l \times w) + (left \ l \times w) + (b \times w)$$


Calculate the *Surface Area* (S.A.) for each triangular prism by using the formula $S.A. = (b \times b) + (right \ l \times w) + (left \ l \times w) + (b \times w)$.

a.



• _____

b.




b.

c. base = 20 mm
height = 15 mm
right length = 24 mm
left length = 18 mm
width = 30 mm

c._____

Name: _____

Surface Area of a Cylinder



area of **top** =
$$\pi r^2$$


area of **bottom** = πr^2
area of **top** + **bottom** = $2\pi r^2$

area of side = $circumferance \times height$ circumferance = $2\pi r$ area of side = $2\pi rh$

Surface Area = $2\pi r^2 + 2\pi rh$


Calculate the Surface Area (S.A.) for each cylinder by using the formula S.A. = $2\pi r^2 + 2\pi rh$. Use 3.14 for π .

a.



a. _____

b.




b. _____

c. radius = 12 mmbeight = 3 mm

c. _____

Match each solid with its net(s). There may be more than one net of each solid.




folded to make a solid. This is a net.

Nets

1. Which figure forms a net for a cube?




a.



b.



C.



d.





2. Which figure forms a net for a rectangular pyramid?




a.









d.




3. Which solid shape is made by the net pictured below?



a.






prism


C.




d.




4. Which solid shape is made by the net pictured below?






b.



C.





Fifty students were asked their level of satisfaction with the school's music program. The following responses were the choices provided:

(a) very satisfied (b) satisfied (c) neutral (d) dissatisfied (e) very dissatisfied.

Level of Satisfaction	Tally	Frequency
Very satisfied		?
Satisfied	444 11	1
Neutral	HIT HIT HIT HIT TIII	<u>?</u>
Dissatisfied	44t 44t 1111	1
Very dissatisfied	////	2

- a) How many students are satisfied or very satisfied?
- b) Based on the results of the survey, should the school think about changing the program? Explain your reasoning.


Lesson 13.2 Dot Plots

Represent each set of data with a dot plot. Give each dot plot a title.

Example -

A group of 20 students were asked the number of times they visited the library last week. The results are recorded in the table below.

Number of Visits to the Library	0	1	2	3	4	5
Number of Students	3	2	4	7	3	1



Number of Visits to the Library

1. A group of 20 teenagers were asked the number of brothers and sisters they have. The results are recorded in the table below.


Number of Brothers and Sisters	1	2	3	4	5	6
Number of	0	2	6	9.	2	1

Lesson 12.2 Surface Area of Solids


Find the area of each figure.


1. 8 in.

Area= length x width




3.






Area =
$$\frac{1}{2}$$
 × _____ × ____

Area = $\frac{1}{2}$ × _____ × ____




Area= 1/2 h (b+b)




Area =
$$\frac{1}{2}$$
 × _____ × (_____

1. The table shows the parking times (in minutes) of 20 cars. Create Histogram

Parking Time (min)	Frequency			
0–29	3			
30–59	5			
60–89	8			
90–119	3			
120–149	1			



5. The histogram shows the mass of strawberries harvested from 40 strawberry plants.



Most of the strawberry plants harvested

to ______ kilograms of
strawberries. The mass of strawberries

harvested spans from ______ to ____

So, the range is ______. The histogram

has a tail to the ______ Most of the data

is to the left of the most frequent value.

So, the histogram is

Use the data in the table to answer questions 9 to 12.

The table shows the high temperatures in degrees Celsius for the past 16 days.

	5	7	11	3	6	4	4	8
Ĺ	11	10	3	3	10	9	11	14

9. Create a dot plot for the data.

10. Find the mean and median of the data set. Do not round the mean.

11. Why is the mean lower than the median?

12. Which central tendency would you use to describe the distribution of the data? Explain your reasoning.

- Example –

The students in Mrs. Thompson's class wore colored T-shirts for a school event. The colors of the T-shirts were recorded by Mrs. Thompson as R (red), B (blue), G (green), and Y (yellow). These are the data she recorded.

R	В	G	В	Y	R	G	R	В	Υ
В	Ŕ	R	Υ	В	G	Υ	В	G	В

T-shirts in Mrs. Thompson's Class

Color	Number of T-shirts
Red	5
Blue	7
Green	4
Yellow	4

From the table, most of the children

wore <u>blue</u> T-shirts.

The mode of this data set is

blue

6. An animal shelter volunteer counted the number and the type of animals currently at the shelter. She uses the following notation to record the data: D (dogs), C (cats), H (hamsters), G (guinea pigs), and R (rabbits). These are the data she recorded.

R	Н	D	D	С	R	D	R	Н	Н
D	С	С	R	Н	G	D	Н	G	С

Animals in a Shelter

Animal	Frequency
Dogs	
Cats	
Hamsters	
Guinea pigs	
Rabbits	

From the table, most of the animals are

____ and

The modes of this data set are

_____ and